THE JOURNAL OF CHEMICAL THERMODYNAMICS

Volume 19, 1987

EDITORS

M. L. McGlashan
Department of Chemistry
University College London
20 Gordon Street
London WC1H 0AJ
U.K.

P. A. G. O'Hare
Argonne National Laboratory
Chemical Technology Division
Argonne
Illinois 60439
U.S.A.

Assistant Editor: **M. B. Ewing** (University College London, U.K.)

ADVISORY BOARD

Chairman: G. M. Schneider (F.R.G.)

S. Angus (U.K.)
G. C. Benson (Canada)
J. C. G. Calado (Portugal)
H. Chihara (Japan)
M. Colomina (Spain)
M. Gaune-Escard (France)
C. Jolicoeur (Canada)
K. N. Marsh (U.S.A.)
V. A. Medvedev (U.S.S.R.)
J. B. Ott (U.S.A.)
F. Pavese (Italy)
G. Pilcher (U.K.)
G. Somsen (The Netherlands)
F. L. Swinton (U.K.)
A. G. Williamson (N.Z.)
R. H. Wood (U.S.A.)
W. A. Wóycicki (Poland)

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London San Diego New York
Boston Sydney Tokyo Toronto

Copyright © 1987 Academic Press Limited

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 19

Number 1, January 1987

BLOEMENDAL, M.; SOMSEN, G. Enthalpies of interaction of some alkyl-substituted acetamides dissolved in *N*,*N*-dimethylformamide . . . 1

SAITO, K.; ATAKE, T.; CHIHARA, H. Perfluorobiphenyl and perchlorobiphenyl: heat capacities and intramolecular twisting vibrations 9

VENUGOPAL, V.; IYER, V. S.; SUNDARESH, V.; ZILEY SINGH; PRASAD, R.; SOOD, D. D. Standard molar Gibbs free energy of formation of $NaCrO_2$ by e.m.f. measurements 19

KAPAŁA, J.; SKUDLARSKI, K. Mass spectrometry and thermodynamics of $\{xTlCl+(1-x)TlI\}$ 27

LAINEZ, A.; REBELO, L. P. N.; CALADO, J. C. G.; STREETT, W. B.; ZOLLWEG, J. A. Excess enthalpies of liquid (ethene + xenon) at 162.9 K . . 35

ADAMS, W. R.; GOPAL, P.; ZOLLWEG, J. A.; STREETT, W. B. Excess properties of (ethane + propane)(l) and (carbon monoxide + methane)(l) . . 39

CHRISTENSEN, J. J.; WALKER, T. A. C.; CORDRAY, D. R.; IZATT, R. M. The excess enthalpies of (carbon dioxide + cyclohexane) at 470.15, 553.15, and 573.15 K from 7.50 to 12.50 MPa 47

ROGALSKI, M.; CHYLIŃSKI, K.; WIŚNIEWSKA, B. Vapour pressures and excess Gibbs energies of {quinoline + (*trans*-bicyclo[4.4.0]decane or *n*-decane or *n*-butylbenzene)} at $T = 393.15$ K and excess volumes of (quinoline + *n*-butylbenzene) at $T = 298.15$ K 57

O'HARE, P. A. G.; TASKER, I. R.; TARASCON, J. M. A fluorine-combustion calorimetric study of two molybdenum selenides: $MoSe_2$ and Mo_6Se_6 . 61

TOPOR, L.; KLEPPA, O. J. Standard enthalpy of formation of $CrSi_2$ by high-temperature mixing calorimetry 69

O'HARE, P. A. G.; JOHNSON, G. K.; TASKER, I. R.; FLOTOW, H. E.; STRUCK, C. W. Calorimetric measurements on high-purity ScI_3 77

LANCASTER, N. M.; WORMALD, C. J. The excess molar enthalpies of $(0.5H_2O+0.5C_2H_4)$(g) and $(0.5H_2O+0.5C_2H_6)$(g) at high temperatures and pressures 89

ATIK, Z.; SAITO, Y.; KUSANO, K. Thermodynamic properties of liquid enantiomers. I. Enthalpies of vaporization of fenchones, α-methylbenzylamines, and limonenes at 298.15 K 99

GOATES, J. R.; BOERIO-GOATES, J.; GOATES, S. R.; OTT, J. B. (Solid + liquid) phase equilibria for (*N*,*N*-dimethylacetamide + tetrachloromethane): enthalpies of melting of pure components and enthalpies for formation of molecular addition compounds from phase equilibria 103

ADVICE TO AUTHORS 109

Number 2, February 1987

FRANZOSINI, P.; NGEYI, S. P.; WESTRUM, E. F., JR. Thermophysics of metal alkanoates. VII. Heat capacities and thermodynamic properties of potassium *n*-butanoate 113

JACKSON, P. R.; MORCOM, K. W. Excess enthalpies of (hexafluorobenzene + a naphthalene-type compound) 125

GATES, J. A.; TILLETT, D. M.; WHITE, D. E.; WOOD, R. H. Apparent molar heat capacities of aqueous NaCl solutions from 0.05 to 3.0 mol·kg^{-1}, 350 to 600 K, and 2 to 18 MPa 131

LOPEZ, M.; PAZ-ANDRADE, M. I.; FERNANDEZ, J.; RODRIGUEZ-NUÑEZ, E.; ORTEGA, J. Excess molar enthalpies at 298.15 K of (an *n*-alkyl formate + an *n*-alkanol). II. $\{xHCO_2(CH_2)_2CH_3 + (1-x)C_nH_{2n+1}OH\}$, ($n = 3$ to 10) 147

SKUDLARSKI, K.; DUDEK, J.; KAPAŁA, J. Thermodynamics of sublimation of zinc chloride investigated by the mass-spectrometric method . . . 151

COLOMINA, M.; JIMENEZ, P.; PEREZ-OSSORIO, R.; ROUX, M. V.; TURRION, C. Thermochemical properties of benzoic acid derivatives. XIV. Enthalpies of combustion, vapour pressures, enthalpies of sublimation, and enthalpies of formation of *o*-, *m*-, and *p*-isopropylbenzoic acids . . 155

OHOMURO, K.; TAMURA, K.; MURAKAMI, S. Speeds of sound, excess molar volumes, and isentropic compressibilities of $\{xCH_3COC_2H_5 + (1-x)C_7H_{16}\}$, $\{xCH_3COC_2H_5 + (1-x)c\text{-}C_6H_{12}\}$, $\{xCH_3COC_2H_5 + (1-x)c\text{-}C_6H_{11}CH_3\}$, $\{xC_2H_5COC_2H_5 + (1-x)C_7H_{16}\}$, and $\{xC_2H_5COC_2H_5 + (1-x)c\text{-}C_6H_{12}\}$ at 298.15 K 163

OHOMURO, K.; TAMURA, K.; MURAKAMI, S. Speeds of sound, excess molar volumes, and isentropic compressibilities of $\{xCH_3COC_2H_5 + (1-x)C_6H_6\}$, $\{xCH_3COC_2H_5 + (1-x)C_6H_5CH_3\}$, $\{xCH_3COC_2H_5 + (1-x)C_6H_5Cl\}$, and $\{xC_2H_5COC_2H_5 + (1-x)C_6H_6\}$ at 298.15 K . 171

OTT, J. B.; WOODFIELD, B. F.; GUANQUAN, C.; BOERIO-GOATES, J.; GOATES, J. R. (Solid + liquid) phase equilibria in acetonitrile + tetrachloromethane, + trichloromethane, + trichlorofluoromethane, and + 1,1,1-trichlorotrifluoroethane 177

FILIPPOV, V. K.; KALINKIN, A. M.; VASIN, S. K. Thermodynamics of phase equilibria of aqueous (lithium sulfate + cesium sulfate), (sodium sulfate + cesium sulfate), and (potassium sulfate + cesium sulfate) at 298.15 K using Pitzer's model 185

MINAS DA PIEDADE, M. E.; SHAOFENG, L.; PILCHER, G. Enthalpy of formation of dicyclopentadienyltungsten dichloride by rotating-bomb calorimetry . 195

KONINGS, R. J. M.; CORDFUNKE, E. H. P.; OUWELTJES, W. The standard enthalpy of formation of cesium monoborate: $CsBO_2$ 201

KULKA, J.; SCHNEIDER, G. M. Excess volumes of liquid mixtures at high pressures. V. Results for $[(1-x)\{(C_2H_5)_3N$ or $(CH_3)_2CO$ or $(C_2H_5)_2O\} + xCHCl_3]$ and $[(1-x)\{(C_2H_5)_3N$ or $(C_2H_5)_2NH\} + xCH_3OH]$ up to 200 MPa. Pressure dependence of excess molar Gibbs energies . . 205

WORMALD, C. J.; YERLETT, T. K. The enthalpy of $\{0.5(CH_3)_2CO + 0.5C_6H_{14}\}$ at temperatures up to 573.2 K and pressures up to 11.3 MPa 215

Number 3, March 1987

FRANCK, E. U. Fluids at high pressures and temperatures. (The sixth Rossini Lecture of the Commission on Thermodynamics of IUPAC delivered on 18 July 1986 at its Conference on Chemical Thermodynamics held at the Calouste Gulbenkian Foundation, Lisbon, Portugal) 225

SANAHUJA, A.; GÓMEZ-ESTÉVEZ, J. L. Determination of L_ϕ and L_2 from calorimetric differential enthalpies of solution of NaCl in water at 298.15 K 243

WHITE, D. E.; DOBERSTEIN, A. L.; GATES, J. A.; TILLETT, D. M.; WOOD, R. H. Heat capacity of aqueous $CaCl_2$ from 306 to 603 K at 17.5 MPa . . 251

RUIZ, B.; ROYO, F. M.; GRACIA, M.; GUTIÉRREZ LOSA, C. H^E_m of (1,2-dibromopropane + cyclohexane or benzene or tetrachloromethane) at several temperatures 261

PETERS, C. J.; ROO, J. L. DE; SWAAN ARONS, J. DE. Three-phase equilibria in (ethane + pentacosane) 265

BRUNNER, E.; HÜLTENSCHMIDT, W.; SCHLICHTHÄRLE, G. Fluid mixtures at high pressures. IV. Isothermal phase equilibria in binary mixtures consisting of (methanol + hydrogen or nitrogen or methane or carbon monoxide or carbon dioxide) 273

CORDFUNKE, E. H. P.; OUWELTJES, W.; MILTENBURG, J. C. VAN; SCHUIJFF, A. The thermodynamic properties of di-caesium telluride, Cs_2Te, from 5 to 800 K 293

ROSHCHUPKINA, I. YU.; NESTEROVA, T. N.; ROZHNOV, A. M. Equilibria of isomeric transformations of alkylbiphenyls 299

ROY, R. N.; WOOD, M. D.; JOHNSON, D.; ROY, L. N.; GIBBONS, J. J. Activity coefficients for (hydrogen bromide + calcium bromide + water) at various temperatures. Application of Pitzer's equations 307

APELBLAT, A.; MANZUROLA, E. Solubility of oxalic, malonic, succinic, adipic, maleic, malic, citric, and tartaric acids in water from 278.15 to 338.15 K 317

LETCHER, T. M.; BAXTER, R. C. Excess enthalpies and excess volumes of (benzene or cyclohexane or *n*-hexane + an alkene or an alkyne) at 298.15 K 321

NGEYI, S. P.; WESTRUM, E. F., JR.; LOPEZ DE LA FUENTE, F. L.; CHEDA, J. A. R.; FERNANDEZ-MARTIN, F. Thermodynamics of thallium alkanoates. III. Heat capacity and thermodynamic functions of thallium(I) *n*-tetradecanoate from 7 to 450 K 327

Number 4, April 1987

OTT, J. B.; STOUFFER, C. E.; CORNETT, G. V.; WOODFIELD, B. F.; GUANQUAN, C.; CHRISTENSEN, J. J. Excess enthalpies for (ethanol + water) at 398.15, 423.15, 448.15, and 473.15 K and at pressures of 5 and 15 MPa. Recommendations for choosing (ethanol + water) as an H^E_m reference mixture 337

HEDWIG, G. R. Thermodynamic properties of peptide solutions. 2. Excess enthalpies of aqueous solutions of glycyl-L-alanylglycine . . . 349

EFIMOV, M. E.; PROKOPENKO, I. V.; TSIRELNIKOV, V. I.; TROYANOV, S. I.; MEDVEDEV, V. A.; BEREZOVSKII, G. A.; PAUKOV, I. E. Thermodynamic properties of zirconium chlorides. I. The standard molar enthalpy of formation, the low-temperature heat capacity, the standard molar entropy, and the standard molar Gibbs energy of formation of zirconium trichloride 353

GARCIA-SANCHEZ, F.; TREJO, A. Vapour pressure and critical constants of 1,1-dichloroethane 359

SCHULTE, L.; WÜRFLINGER, A. Phase behaviour of cyclohexane-d_{12} at pressures up to 300 MPa and temperatures between 170 and 300 K . 363

CORDFUNKE, E. H. P.; OUWELTJES, W.; PRINS, G. Standard enthalpies of formation of tellurium compounds. I. Tellurium dioxide . . . 369

CORDFUNKE, E. H. P.; OUWELTJES, W. Standard enthalpies of formation of tellurium compounds. II. Cs_2Te 377

RÓG, G.; PYCIOR, W. Determination of the standard molar Gibbs free energies of formation of the manganese silicates by e.m.f. measurements . . 381

VEGA, C. A.; VILA, P. Thermodynamics of the hydrolysis of trisH$^+$ in (water + 10 or + 20 mass per cent of acetonitrile) from 263.15 to 298.15 K 385

TRESZCZANOWICZ, T.; LU, B. C.-Y. (Vapour + liquid) equilibria of (3,6-dioxaoctane + *n*-heptane) at 343.15 K 391

PETERS, C. J.; KOOI, H. J. VAN DER; SWAAN ARONS, J. DE. Measurements and calculations of phase equilibria for (ethane + tetracosane) and (p, V_m^*, T) of liquid tetracosane 395

ARCHER, D. G. Heat capacities of aqueous decyl- and dodecyltrimethylammonium bromides from 324.6 to 374.6 K 407

VANDERZEE, C. E.; NOLL, L. A. The standard enthalpies of ionization of sulfurous acid and the standard enthalpies of solution of sodium sulfite and sodium metabisulfite in water at 298.15 K 417

COLBERT, J. C.; DOMALSKI, E. S.; COXON, B. Enthalpies of combustion of D-ribose and 2-deoxy-D-ribose 433

PAWLAK, Z. Solvent effects on acid-base behaviour. Acidity constants of eight protonated substituted pyridines in (acetonitrile + water) . . . 443

Number 5, May 1987

CAMPBELL, S. W.; WILSAK, R. A.; THODOS, G. (Vapor + liquid) equilibrium behavior of (*n*-pentane + ethanol) at 372.7, 397.7, and 422.6 K . . 449

GVELESIANI, G. G.; NADIRADZE, A. A.; ABASHIDZE, T. D. Investigation of the thermodynamic properties of dysprosium tungstates 461

REIFF, W.-E.; PETERS-GERTH, P.; LUCAS, K. A static equilibrium apparatus for (vapour + liquid) equilibrium measurements at high temperatures and pressures. Results for (methane + *n*-pentane) 467

SIMONSON, J. M.; BRADLEY, D. J.; BUSEY, R. H. Excess molar enthalpies and the thermodynamics of (methanol + water) to 573 K and 40 MPa . 479

WHITE, D. E.; GATES, J. A.; WOOD, R. H. Heat capacities of aqueous NaBr from 306 to 603 K at 17.5 MPa 493

AMBROSE, D.; GHIASSEE, N. B. Vapour pressures and critical temperatures and critical pressures of some alkanoic acids: C_1 to C_{10} 505

PARDO, J.; PÉREZ, P.; ROYO, F. M.; GRACIA, M.; GUTIÉRREZ LOSA, C. H_m^E, V_m^E, and G_m^E of $\{xCl_2HCCHCl_2+(1-x)C_6H_{14}\}$ at several temperatures . 521

GOPAL, P.; CHAPMAN, W. G.; ZOLLWEG, J. A.; CLANCY, P.; STREETT, W. B. Excess enthalpies of $\{xN_2+(1-x)CO\}$(l) at 83.82 K: experiment and theory 527

RATTAN, V. K.; SINGH, S.; SETHI, B. P. S.; RAJU, K. S. N. Speeds of sound, densities, and viscosities of (cumene + ethanol or 1-propanol) at 298.15 and 308.15 K 535

DENDA, M.; TOUHARA, H.; NAKANISHI, K. Excess molar enthalpies for (water + a fluoroalkanol) 539

FERRÃO, M. L. C. C. H.; PILCHER, G. Enthalpies of combustion of the three bromobenzoic acids by rotating-bomb calorimetry 543

MALLU, B. V.; NATARAJAN, G.; VISWANATH, D. S. Compression factors and second virial coefficients of CO_2, CO, and $\{xCO+(1-x)CO_2\}$ . . 549

ITSUKI, H.; TERASAWA, S.; SHINOHARA, K.; IKEZAWA, H. Partial molar volumes at infinite dilution for C_mH_{2m+2} as solute in C_nH_{2n+2} as solvent for m, $n = 6$ to 16 at 298.15 K 555

Number 6, June 1987

NUÑEZ-ROMERO, B.; TREJO, A. Thermal-pressure coefficients of some *n*-alkanenitriles 561

MILLER, M.; SKUDLARSKI, K. Thermodynamic properties of $\{x\text{NaCl}+(1-x)\text{NaBr}\}$ at 840 K investigated by mass spectrometry . 565

KOGA, Y. Excess partial molar enthalpies of $\{xH_2O+(1-x)D_2O\}$ at and below 298.15 K 571

NAVARRO, R.; BURRIEL, R.; BARTOLOMÉ, J.; GONZÁLEZ, D. Thermal properties of XMF_3 cubic perovskites. III. Heat capacity of NH_4CoF_3 and NH_4MnF_3 579

BETTONVILLE, S.; GOUDIAKAS, J.; FUGER, J. Thermodynamics of lanthanide elements. III. Molar enthalpies of formation of Tb^{3+}(aq), Ho^{3+}(aq), Yb^{3+}(aq), Yb^{2+}(aq), $TbBr_3$(cr), $HoBr_3$(cr), and $YbBr_3$(cr) at 298.15 K . 595

ARACIL, J.; RUBIO, R. G.; NUÑEZ, J.; DIAZ PEÑA, M.; RENUNCIO, J. A. R. Thermodynamic properties of $\{xC_6F_6+(1-x)C_{14}H_{30}\}$ and $\{x_1C_6F_6+x_2C_6H_6+(1-x_1-x_2)C_{14}H_{30}\}$ at 298.15 K 605

PRASAD, R.; IYER, V. S.; VENUGOPAL, V.; ZILEY SINGH; SOOD, D. D. Thermodynamic study of Ni_3Te_2 by e.m.f. measurements . . . 613

JOHNSON, G. K.; TASKER, I. R.; HOWELL, D. A.; SMITH, J. V. Thermodynamic properties of silicalite SiO_2 617

SAITO, K.; ATAKE, T.; CHIHARA, H. Calorimetric studies of successive phase transitions in crystalline biphenyl-d_{10} 633

RIBEIRO DA SILVA, M. A. V.; FERRÃO, M. L. C. C. H. Standard enthalpies of formation of tris(β-diketonate)chromium(III) complexes: the mean (Cr–O) bond-dissociation enthalpies 645

MACLEOD, A. C.; KIRKWOOD, D. Solution thermodynamics of carbon in α- and β-manganese 653

BOAK, R. J.; STAVELEY, L. A. K. A calorimetric study of polymorphism in rubidium nitrite 661

NOTE

CASTILLO-LOPEZ, N.; TREJO, A. The critical temperatures and pressures of several *n*-alkanenitriles 671

Number 7, July 1987

Editorial announcement about the publication of Huffman Lectures . . 673

O'HARE, P. A. G. Inorganic chalcogenides: high-tech materials, low-tech thermodynamics. (The 34th Huffman Memorial Award Lecture of the Calorimetry Conference delivered on 18 August 1986 at its 41st annual conference held at Somerset, New Jersey, U.S.A.) 675

CUBITT, A. G.; HENDERSON, C.; STAVELEY, L. A. K.; FONSECA, I. M. A.; FERREIRA, A. G. M.; LOBO, L. Q. Some thermodynamic properties of liquid hydrogen sulphide and deuterium sulphide 703

BROWN, R. J. C.; CALLANAN, J. E.; HASLETT, T. L.; WEIR, R. D.; WESTRUM, E. F., JR. The thermodynamics of ammonium scheelites. IV. Heat capacity of ammonium metaperiodate NH_4IO_4 from 8 to 324 K . . 711

LUKAS, W.; GAUNE-ESCARD, M.; BROS, J. P. Enthalpy of mixing of $\{(1-x)KCl+xBiCl_3\}$ at 690 K 717

EWING, M. B.; GOODWIN, A. R. H.; MCGLASHAN, M. L.; TRUSLER, J. P. M. Thermophysical properties of alkanes from speeds of sound determined using a spherical resonator. I. Apparatus, acoustic model, and results for dimethylpropane 721

NIEPMANN, R.; ESPER, G. J.; RIEMANN, K. A. Thermodynamic properties of chlorodifluoromethane and dichloromethane. Speeds of sound in the liquid up to 60 MPa 741

CÓBOS, J. C.; CASANOVA, C. Excess properties of mixtures of some *n*-alkoxyethanols with organic solvents. I. H_m^E with di-*n*-butylether at 298.15 K 751

FAUX, P. W.; CHRISTENSEN, J. J.; IZATT, R. M. The excess enthalpies of (*n*-hexane + toluene) at 308.15, 358.15, 413.15, 470.15, and 573.15 K from 7.50 to 12.50 MPa 757

WHITE, M. A.; PARK, Y. S.; SHURVELL, H. F.; BROWN, R. J. C. The heat capacity of KVO_3 from 25 to 310 K 765

ALLOT, P. H.; FINCH, A.; PILCHER, G.; NUÑEZ, L.; BARRAL, L. Enthalpies of formation of 2,4,6-tribromophenol and of 2,4,6-tribromoaniline . . 771

JAIN, V. K.; WHITTENBURG, S. L. Hypersonic speed and isentropic compressibility in pyridine and piperidine 781

Number 8, August 1987

LUO, B.; BENSON, G. C.; LU, B. C.-Y. Excess enthalpies and excess volumes for {2-methylbutan-2-ol + (*n*-decane or *n*-hexadecane)} 785

COBOS, J. C.; CASANOVA, C.; ROUX-DESGRANGES, G.; GROLIER, J.-P. E. Excess properties of mixtures of some *n*-alkoxyethanols with organic solvents. II. V_m^E and $C_{p,m}^E$ with di-*n*-butylether at 298.15 K 791

ABELLO, L.; CHHOR, K.; POMMIER, C. Low-temperature thermodynamic studies on $LiRbSO_4$ and $LiCsSO_4$ crystals 797

OTTONELLO, G.; MORLOTTI, R. Thermodynamics of the (nickel + magnesium) olivine solid solution 809

DEWAN, R. K.; MEHTA, S. K. Excess volumes of (ethylbenzene + an alkanol) 819

BRUNNER, E. Fluid mixtures at high pressures. V. Phase separation and critical phenomena in 18 binary mixtures containing either pyridine or ethanoic acid 823

RIBEIRO DA SILVA, M. A. V.; REIS, A. M. V.; PILCHER, G. Enthalpies of formation of crystalline dialkylammoniumdialkyldithiocarbamates: alkyl = ethyl, *n*-propyl, *i*-propyl, *n*-butyl, and *i*-butyl 837

WORMALD, C. J.; EYEARS, J. M. Excess molar enthalpies and excess molar volumes of $\{xCO_2+(1-x)C_6H_5CH_3\}$ at 298.15, 304.10, and 308.15 K from 7.5 to 12.6 MPa 845

SKUDLARSKI, K.; DUDEK, J.; KAPAŁA, J. Thermodynamics of sublimation of cadmium halides investigated by the mass-spectrometric method . . 857

HOLMES, H. F.; BUSEY, R. H.; SIMONSON, J. M.; MESMER, R. E.; ARCHER, D. G.; WOOD, R. H. The enthalpy of dilution of HCl(aq) to 648 K and 40 MPa. Thermodynamic properties 863

PRASAD, R.; IYER, V. S.; VENUGOPAL, V.; SUNDARESH, V.; ZILEY SINGH; SOOD, D. D. Partial and integral molar thermodynamic properties of Ni_xTe_{1-x}(s, $x = 0.595$ to 0.630) alloys 891

Number 9, September 1987

WIŚNIEWSKA, B. Vapour pressures and excess Gibbs energies of {ethylbenzene + (methyl- or *n*-propyl- or isopropyl- or *n*-butyl- or 1,2-dimethyl- or 1,4-dimethyl- or 1,2,4-trimethyl-benzene or methylcyclohexane or heptane or octane)} at 373.15 K 897

AMBROSE, D.; GHIASSEE, N. B. Vapour pressures and critical temperatures and critical pressures of C_5 and C_6 cyclic alcohols and ketones . . 903

AMBROSE, D.; GHIASSEE, N. B. Vapour pressure, critical temperature, and critical pressure of acetic anhydride 911

FERRO, D.; BARONE, G.; DELLA GATTA, G.; PIACENTE, V. Vapour pressures and sublimation enthalpies of urea and some of its derivatives . . 915

PIEKARSKA, A. Enthalpies of solution of NaI in (ethanol + *n*-propanol) and in (*n*-propanol + *n*-butanol) at 298.15 K 925

FLANIGAN, D. A.; YESAVAGE, V. F. Enthalpy of tetrahydronaphthalene (tetralin) between 291 and 655 K and at pressures to 10342 kPa . . 931

BARREIROS, S. F.; CALADO, J. C. G.; NUNES DA PONTE, M.; SAVILLE, G. Second virial coefficients of carbon monoxide 941

EWING, M. B.; JOHNSON, K. A.; MCGLASHAN, M. L. The (liquid + liquid) critical state of (cyclohexane + methanol). III. Excess molar volumes for $\{(1-x)c\text{-}C_6H_{12} + xCH_3OH\}$ at 14 temperatures within 2.4 K of the critical temperature 949

BOMINAAR, S. A. R. C.; BISWAS, S. N.; TRAPPENIERS, N. J.; SELDAM, C. A. TEN. (p, V_m, T) properties of methyl fluoride in the (gas + liquid) critical region. 959

STOKES, R. H. Excess partial molar enthalpies for (acetonitrile + water) from 278 to 318 K 977

JIMÉNEZ, P.; ROUX, M. V.; TURRIÓN, C.; GOMIS, F. Thermochemical properties of *N*-heterocyclic compounds. I. Enthalpies of combustion, vapour pressures and enthalpies of sublimation, and enthalpies of formation of pyrazole, imidazole, indazole, and benzimidazole . . 985

DICKSON, A. G. Standardization of the $(AgCl + \frac{1}{2}H_2 = Ag + HCl)$ cell from 273.15 to 318.15 K. 993

LANCASTER, N. M.; WORMALD, C. J. The excess molar enthalpies of $(0.5H_2O + 0.5C_3H_8)(g)$ and $(0.5H_2O + 0.5C_4H_{10})(g)$ at high temperatures and pressures 1001

NOTE

AMBROSE, D. Vapour pressures of some aromatic hydrocarbons . . . 1007

Number 10, October 1987

SVENDSEN, S. R.; GRØNVOLD, F.; WESTRUM, E. F., JR. Thermodynamic properties of $RuSe_2$ from 5 to 1500 K 1009

WHITE, D. E.; RYAN, M. A.; ARMSTRONG, M. A. C.; GATES, J. A.; WOOD, R. H. Heat capacities of aqueous KCl from 325 to 600 K at 17.9 MPa . 1023

HWANG, C.-A.; ELKABULE, A. S.; WHITMAN, D. L.; MILLER, R. C. Excess molar enthalpies of (benzene + cyclohexane + *n*-hexane) . . . 1031

WHITE, D. E.; GATES, J. A.; WOOD, R. H. Heat capacities of aqueous LiCl from 306 to 603 K at 17.5 MPa 1037

VENUGOPAL, V.; IYER, V. S.; AGARWAL, R.; ROY, K. N.; PRASAD, R.; SOOD, D. D. Solid-state e.m.f. and calorimetric measurements on $Cs_2Cr_2O_7$(l). 1047

TMAR, M.; CHATILLON, C. Refinement of the vapour pressures in equilibrium with InP and InAs by mass spectrometry 1053

O'BRIEN, N. W.; MUCKLEJOHN, S. A. A study of the vapour-phase equilibria over tin(II) chloride 1065

MUCKLEJOHN, S. A.; O'BRIEN, N. W. The vapour pressure of tin(II) chloride and the standard molar Gibbs free energy change for formation of $SnCl_2$(g) from Sn(g) and Cl_2(g) 1079

FAUX, P. W.; CHRISTENSEN, J. J.; IZATT, R. M. The excess enthalpies of (*n*-hexane + toluene) at 308.15, 358.15, 413.15, 470.15, and 573.15 K from 7.50 to 12.50 MPa. 1087

HATEM, G.; GAUNE-ESCARD, M. Excess molar enthalpies of the molten-salt mixtures: $\{(1-x)Li_2SO_4 + xNaF\}$(l), $\{(1-x)Na_2SO_4 + xLiF\}$(l), and $\{(1-x)Li_2SO_4 + xLiF\}$(l) 1095

VENUGOPAL, V.; AGARWAL, R.; ROY, K. N.; PRASAD, R.; SOOD, D. D. Enthalpy-increment measurements for CsI(s) and Cs_2CrO_4(s) by high-temperature Calvet calorimetry 1105

BROWN, R. J. C.; CALLANAN, J. E., HASLETT, T. L.; WEIR, R. D.; WESTRUM, E. F., JR. The thermodynamics of ammonium scheelites. V. Heat capacity of deuterated ammonium metaperiodate ND_4IO_4 from 8 to 329 K 1111

CORDFUNKE, E. H. P.; OUWELTJES, W.; VLAANDEREN, P. VAN. The standard molar enthalpy of formation of Cs_2ZrO_3 1117

Number 11, November 1987

SIMIRSKY, V. V.; KABO, G. J.; FRENKEL, M. L. Additivity of the enthalpies of formation of urea derivatives in the crystalline state 1121

MILTENBURG, J. C. VAN; BERG, G. J. K. VAN DEN; BOMMEL, M. J. VAN. Construction of an adiabatic calorimeter. Measurements of the molar heat capacity of synthetic sapphire and of *n*-heptane 1129

COLOMINA, M.; JIMÉNEZ, P.; ROUX, M. V.; TURRIÓN, C. Thermochemical properties of benzoic acid derivatives. XV. Vapour pressures and enthalpies of sublimation and formation of the six trimethylbenzoic acids 1139

HNĚDKOVSKÝ, L.; DOHNAL, V.; CIBULKA, I. (Vapour + liquid) equilibria, limiting activity coefficients, and excess molar volumes of {1-bromo-1-chloro-2,2,2-trifluoroethane (halothane) + tetrachloromethane or trichloromethane or 1,1,1-trichloroethane} 1145

FRENCH, H. T. Vapour pressures and activity coefficients of (acetonitrile + water) at 308.15 K 1155

STREATFEILD, M. H.; HENDERSON, C.; STAVELEY, L. A. K.; FERREIRA, A. G. M.; FONSECA, I. M. A.; LOBO, L. Q. Some thermodynamic properties of liquid ammonia and trideuteroammonia 1163

BROWN, R. J. C.; CALLANAN, J. E.; WEIR, R. D.; WESTRUM, E. F., JR. The thermodynamics of ammonium scheelites. VI. An analysis of the heat capacity and ancillary values for the metaperiodates KIO_4, NH_4IO_4, and ND_4IO_4 1173

GRØNVOLD, F.; WESTRUM, E. F., JR. Thermodynamics of copper sulfides. I. Heat capacity and thermodynamic properties of copper(I) sulfide, Cu_2S, from 5 to 950 K 1183

WESTRUM, E. F., JR., STØLEN, S.; GRØNVOLD, F. Thermodynamics of copper sulfides. II. Heat capacity and thermodynamic properties of synthetic covellite, CuS, from 5 to 780.5 K. Enthalpy of decomposition . . 1199

ROGERS, D. W.; CROOKS, E.; DEJROONGRUANG, K. Enthalpies of hydrogenation of the hexenes. 1209

GRANT, D. M.; MURRAY, J. J.; POST, M. L. The thermodynamics of the γ- and δ-hydrides and deuterides of $CaNi_5$. 1217

BURRIEL, R.; WESTRUM, E. F., JR.; CORDFUNKE, E. H. P. Low-temperature heat capacity and thermodynamic functions of IrO_2 1227

Number 12, December 1987

HOLSTE, J. C.; HALL, K. R.; EUBANK, P. T.; ESPER, G.; WATSON, M. Q.; WAROWNY, W.; BAILEY, D. M.; YOUNG, J. G.; BELLOMY, M. T. Experimental (p, V_m, T) for pure CO_2 between 220 and 450 K . . 1233

LAINEZ, A.; MILLER, J. F.; ZOLLWEG, J. A.; STREETT, W. B. Volumetric and speed-of-sound measurements for liquid tetrachloromethane under pressure. 1251

López de la Fuente, F. L.; Westrum, E. F., Jr.; Cheda, J. A. R.; Fernández-Martín, F. Thermophysics of thallium alkanoates. IV. Heat capacity and thermodynamic functions of thallium(I) *n*-dodecanoate from 7 to 470 K 1261

Alonso, R.; Guerrero, R.; Corrales, J. A. Excess molar enthalpies of (methylcyclohexane + an alkanol) at 323.15 K. I. Results for *n*-butanol, *n*-pentanol, and *n*-hexanol 1271

Murakawa, S.; Wakamatsu, T.; Nakano, M.; Sorai, M.; Suga, H. A very low-temperature calorimeter with a (^{3}He+^{4}He) dilution refrigerator. The heat capacity of *trans*-bis(ethylenediamine)bis(isothiocyanato)-nickel(II) 1275

Fernández-Prini, R.; Crovetto, R.; Gentili, N. Solubilities of inert gases in ethylene glycol 1293

Takagi, T.; Teranishi, H. Ultrasonic speed in compressed liquid by a sing-around method 1299

Grønvold, F.; Stølen, S.; Westrum, E. F., Jr.; Galeas, C. G. Thermodynamics of copper sulfides. III. Heat capacities and thermodynamic properties of $Cu_{1.75}S$, $Cu_{1.80}S$, and $Cu_{1.85}S$ from 5 to about 700 K 1305

Lewis, B. M.; O'Hare, P. A. G.; Mukdeeprom, P.; Edwards, J. G. The standard molar enthalpy of formation at 298.15 K of $VS_{1.043}$ by combustion calorimetry in fluorine 1325

Index to Volume 19 1333